



Siet'ujeme v GNU/Linux




InstallFest 2003

Michal Medvecký
m.medvecky@sh.cvut.cz



porn.bat

Čo potrebujeme?



- Kompatibilnú sieťovú kartu (1 a viac)
- Vhodný modul do jadra

`/usr/src/linux/Documentation/networking`

```
ttyS1 at I/O 0x2f8 (irq = 3) is a NS16550A
Using anticipatory io scheduler
Floppy drive(s): fd0 is 1.44M
FDC 0 is a National Semiconductor PC87306
sis900.c: v1.08.06 9/24/2002
eth0: ICS LAN PHY transceiver found at address 1.
eth0: Using transceiver found at address 1 as default
eth0: SiS 900 PCI Fast Ethernet at 0xa000, IRQ 11, 00:0c:6e:0d:9a:4b.
Uniform Multi-Platform E-IDE driver Revision: 7.00alpha2
ide: Assuming 33MHz system bus speed for PIO modes; override with idebus=xx
SIS5513: IDE controller at PCI slot 0000:00:02.5
SIS5513: chipset revision 0
SIS5513: not 100% native mode: will probe irqs later
SIS5513: SiS 962/963 Multi-IDE UDMA133 controller
    ide0: BM-DMA at 0xb800-0xb807, BIOS settings: hda:DMA, hdb:pio
    ide1: BM-DMA at 0xb808-0xb80f, BIOS settings: hdc:DMA, hdd:pio
hda: IC25N040ATCS04-0, ATA DISK drive
ide0 at 0x1f0-0x1f7,0x3f6 on irq 14
hdc: TOSHIBA DVD-ROM SD-R2312, ATAPI CD/DVD-ROM drive
ide1 at 0x170-0x177,0x376 on irq 15
:
```

Akú sieťovú kartu mám?

```
mc - /var/www/volby
slovakia:~# lspci
00:00.0 Host bridge: VIA Technologies, Inc. VT8363/8365 [KT133/KM133] (rev 03)
00:01.0 PCI bridge: VIA Technologies, Inc. VT8363/8365 [KT133/KM133 AGP]
00:07.0 ISA bridge: VIA Technologies, Inc. VT82C686 [Apollo Super South] (rev 40)
00:07.1 IDE interface: VIA Technologies, Inc. VT82C586/B/686A/B PIPC Bus Master IDE (rev 06)
00:07.2 USB Controller: VIA Technologies, Inc. USB (rev 1a)
00:07.3 USB Controller: VIA Technologies, Inc. USB (rev 1a)
00:07.4 Host bridge: VIA Technologies, Inc. VT82C686 [Apollo Super ACPI] (rev 40)
00:09.0 Multimedia video controller: Brooktree Corporation Bt878 Video Capture (rev 11)
00:09.1 Multimedia controller: Brooktree Corporation Bt878 Audio Capture (rev 11)
00:0c.0 Multimedia audio controller: Creative Labs SB Live! EMU10k1 (rev 07)
00:0c.1 Input device controller: Creative Labs SB Live! MTDI/Game Port (rev 07)
00:0d.0 Ethernet controller: 3Com Corporation 3c905C-TX/TX-M [Tornado] (rev 74)
01:00.0 VGA compatible controller: Matrox Graphics, Inc. MGA G400 AGP (rev 04)
slovakia:~# █
```

Príkaz lspci

Základné príkazy

ifconfig

```
ifconfig [interface]
```

```
ifconfig interface [atype] options | address ...
```

route

```
route [-v] [-A family] add [-net|-host] target [netmask Nm] [gw Gw]  
      [metric N] [mss M] [window W] [irtt I] [reject] [mod] [dyn]  
      [reinststate] [[dev] If]
```

ifconfig - configure a network interface

```
eth0  Link encap:Ethernet  HWaddr 00:0C:6E:0D:9A:4B
      inet addr:147.32.119.108 Bcast:147.32.255.255 Mask:255.255.255.0
      UP BROADCAST RUNNING MULTICAST  MTU:1500  Metric:1
      RX packets:251835 errors:0 dropped:0 overruns:0 frame:0
      TX packets:98208 errors:0 dropped:0 overruns:0 carrier:0
      collisions:0 txqueuelen:1000
      RX bytes:158634225 (151.2 MiB)  TX bytes:10210770 (9.7 MiB)
      Interrupt:11 Base address:0xa000
```

lo – loopback device

wlan – wireless lan

ppp – point to point interface ppp daemon

sit – virtualne tunely

dummy – dummy net interface

ipsec – ip security dummy interface

route – show/manipulate the IP routing table

```
kriminalka:~# route -n
```

```
Kernel IP routing table
```

Destination	Gateway	Genmask	Flags	Metric	Ref	Use	Iface
147.32.119.0	0.0.0.0	255.255.255.0	U	0	0	0	eth0
0.0.0.0	147.32.119.1	0.0.0.0	UG	0	0	0	eth0

```
kriminalka:~# route add -net 192.168.0.0/24 gw  
192.168.0.1
```

```
kriminalka:~# route del -net 192.168.0.0/24
```



/etc/hosts

```
127.0.0.1          kriminalka          localhost
147.32.119.108    kriminalka.sh.cvut.cz
```

```
# The following lines are desirable for IPv6
capable hosts
```

```
# (added automatically by netbase upgrade)
```

```
::1              ip6-localhost ip6-loopback
fe00::0          ip6-localnet
ff00::0          ip6-mcastprefix
ff02::1          ip6-allnodes
ff02::2          ip6-allrouters
ff02::3          ip6-allhosts
```


GUI/TUI utility

- `netconf` (RedHat)
- ? (Debian), `/etc/network/interfaces`
- `netenv` (Debian)
- `netconfig` (Slackware)
- `yast`, `webmin`
- `pppconfig`

Základné utility pre shell

- lynx, links
- wget
- ssh, telnet, telnet-ssl
- ftp (ncftp, lftp, mc)
- finger
- tin, slrn



links

Microsoft Corporation (p1 of 4)

[Microsoft Home](#) | [All Products](#) | [Support](#) | [Search](#) | [microsoft.com Home](#)

[Microsoft Home](#) | [MSN Home](#) | [Subscribe](#) | [Manage Your Profile](#)

Search Microsoft.com for

[Go]
[Advanced Search](#)

Product Families
[Windows](#)
[Office](#)
[Mobile Devices](#)
[Business Solutions](#)
[Servers](#)
[Developer Tools](#)
[Games and Xbox](#)
[MSN Services](#)
[All Products](#)

Resources
[Support](#)
[Downloads](#)
[Windows Update](#)
[Office Update](#)
[Learning Tools](#)

Protect your PC: 3 steps to help ensure your PC is protected

home & entertainment
Office templates to help parents keep track of kids' activities
Home and small office networking with Windows XP
Go clubbing at home with karaoke, real-time video, and more

technical resources
Collaborate in real time with Live Communications Server 2003
Get the latest best practices for building secure applications
10 steps to help secure SQL Server 2000

business agility
Solve key business problems with Office Solution Accelerators
74 keyboard shortcuts to help you work faster
Impress the boss: Use these tips

today's news
Bill Gates speaks on the next wave of software innovation at PDC 2003
Make your own great moments at work with the new Microsoft Office System
Download music with Napster and Windows Media Player

<http://www.microsoft.com/isapi/gomscom.asp?target=/>

tin

```
xterm
Pá. 31 říj 2003 12:22:13          bazar.sluzby          Thread 486 of 488
Lines 4                          odvoz Lednický z Václavaku 1 Response
Jef <J.Bar Duch@sh.cvut.cz>      at Silicon Hill

News groups: bazar.odvoz,bazar.ruzne,bazar.sluzby

Cau! nebyl by nekdo ochoten odvest mi lednicku ? 120x60x60 pokud mozno co
nejdriv benzin zaplatim

<n>=set current to n; <TAB>=next unread; /=search pattern; ^K=kill/select
a=author search; B=body search; c=catchup; f=followup; K=mark read
l=pipe; m=mail; o=print; q=quit; r=reply mail; s=save; t=tag; w=post

Bad command. Type 'h' for help.
```

finger

```
xterm
misko@slovakia:~$ finger ruik@desitka
[desitka.sh.cvut.cz]
Login: ruik                Name: Rudolf Marek
Directory: /home/10/ruik   Shell: /bin/bash
Office: blok 10
Last login Sat Nov  1 12:20 (CET) on pts/1 from temp5.fsv.cvut.cz
Mail last read Sat Nov  1 12:28 2003 (CET)
No Plan.
misko@slovakia:~$ █
```

mc-ftp

mc - /#ftp:ftp

Levý	Soubor	Příkaz	Nastavení	Pravý		
< ~			>	< /#ftp:ftp	>	
	Jméno	Délka	Práva	Jméno	Délka	Práva
/..		VYŠ-ADR	drwxr-xr-x	/MIRRORS	656	drwxr-xr-x
/.TeXmacs		4096	drwxr-xr-x	/OpenWeekend	120	drwxr-xr-x
/.acrobat		4096	drwx-----	~/SuSE	12	lrwxrwxrwx
/.adobe		4096	drwx-----	/Video	136	drwxr-xr-x
/.centericq		8192	drwx-----	/debian	480	drwxr-xr-x
/.gimp-1.2		4096	drwxr-xr-x	/debian-cd	200	drwxrwxr-x
/.gnome		4096	drwxr-xr-x	/debian-non-US	232	drwxrwxr-x
/.gnome_private		4096	drwx-----	~/debian-security	23	lrwxrwxrwx
/.gnupg		4096	drwx-----	/freeware	464	drwxrwxr-x
/.gqview		4096	drwxr-xr-x	~/listserv	25	lrwxrwxrwx
/.links		4096	drwx-----	/montypitralon	192	drwxr-xr-x
/.mc		4096	drwxr-xr-x	/obp2003	152	drwxrwxr-x
/.mozilla		4096	drwxr-xr-x	~/pub	22	lrwxrwxrwx
/..		VYŠ-ADR	drwxr-xr-x	-> MIRRORS/k1okan.sh.cvut.cz		

ftpfs: zpracován.
bash-2.05b\$

1Nápověd 2MenuUž 3Prohlíž 4Editace 5Kopírov 6Přesun 7NovýAdr 8Smazat 9HIMenu 10Konec

Nastavujeme proxy

- /etc/wgetrc
- /etc/lynx.cfg
- links -> menu
-
- shell: export
http_proxy=http://cache.sh.cvut.cz:3128/

Nastavujeme servery



- tcp wrappery
- standalone servery
- iptables
- www server
- ftp server
- apache+php+mysql

Pojmy

- server
- klient
- démon
- port



tcp wrapper

inetd (/etc/inetd.conf)

```
<service_name> <sock_type> <proto> <flags> <user>  
<server_path> <args>
```

```
smtp stream tcp nowait mail /usr/sbin/exim exim  
-bs
```

xinetd

TODO

/etc/services

paketové filtre

- ipwf
- ipchains
- iptables

<ftp://ftp.sh.cvut.cz/OpenWeekend/ow1/luptak-iptables.avi>

Konfigurácia vzdialeného prístupu

Remote access?

telnet - konfigurácia je triviálna

ssh - slide



/etc/ssh/sshd_config

```
Port 22
Protocol 2
HostKey /etc/ssh/ssh_host_dsa_key
UsePrivilegeSeparation yes
LogLevel INFO
PermitRootLogin yes
StrictModes yes
RSAAuthentication yes
PubkeyAuthentication yes
HostbasedAuthentication no
PermitEmptyPasswords no
PasswordAuthentication yes
X11Forwarding no
X11DisplayOffset 10
PrintMotd no
KeepAlive yes
Subsystem          sftp          /usr/lib/sftp-server
```



webservery



- apache
- boa
- netscape
- ibm iplanet
- asmutils httpd

apache



- najrozšírenejší www server na svete
- rýchly, stabilný, kvalitný
- podporuje dynamické moduly
- jednoduchá konfigurácia

—————▶
DEMO